



## Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact [support@jstor.org](mailto:support@jstor.org).

## SMALLPOX IN THE UNITED STATES—Continued.

Reports Received from July 1 to July 14, 1911.

Places.	Date.	Cases.	Deaths.	Remarks.
<b>Texas—Continued.</b>				
<b>Counties—Continued.</b>				
Titus.....	do.....	5	.....	
Wichita.....	do.....	6	.....	
Total for State.....		120	.....	
<b>Utah:</b>				
<b>Counties—</b>				
Beaver.....	May 1-31.....	16	.....	
Boxelder.....	do.....	18	.....	
Cache.....	do.....	12	.....	
Carbon.....	do.....	9	1	
Emery.....	do.....	4	.....	
Garfield.....	do.....	1	.....	
Piute.....	do.....	9	.....	
Salt Lake.....	do.....	13	.....	
Sanpete.....	do.....	16	.....	
Sevier.....	do.....	18	.....	
Tooele.....	do.....	27	.....	
Uinta.....	do.....	1	.....	
Utah.....	do.....	2	1	
Washington.....	do.....	1	.....	
Weber.....	do.....	7	.....	
Total for State.....		154	2	
Grand total for the United States.....		423	3	

## MORBIDITY AND MORTALITY.

## MORBIDITY AND MORTALITY TABLE, CITIES OF THE UNITED STATES, FOR WEEK ENDED JULY 1, 1911.

Cities.	Popula- tion, United States census, 1910.	Total deaths from all causes.	Diph- theria.		Measles.		Scarlet fever.		Small- pox.		Tuber- culosis.		Ty- phoid fever.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Cities having over 500,000 inhabitants.														
Baltimore, Md.	558,485	184	4	.....	34	.....	21	2	.....	.....	38	30	9	2
Boston, Mass.	670,585	171	20	1	85	4	17	.....	.....	65	19	3	.....	.....
Chicago, Ill.	2,185,283	542	113	9	9	1	130	13	.....	116	76	40	6	.....
Cleveland, Ohio.	560,663	151	16	3	12	.....	67	5	.....	30	14	7	2	.....
New York, N. Y.	4,766,883	.....	273	18	663	21	211	10	.....	410	133	52	11	.....
Philadelphia, Pa.	1,549,008	440	70	4	28	4	26	4	.....	83	55	15	.....	.....
Pittsburg, Pa.	533,905	145	3	2	52	5	9	.....	.....	37	14	11	2	.....
St. Louis, Mo.	687,029	218	11	.....	23	.....	20	3	.....	.....	30	16	11	5
Cities having from 300,000 to 500,000 inhabitants.														
Buffalo, N. Y.	423,715	97	18	2	13	.....	14	3	.....	22	8	10	.....	.....
Cincinnati, Ohio.	364,463	122	6	.....	3	.....	48	1	1	.....	23	22	12	1
Detroit, Mich.	465,766	116	14	.....	.....	6	.....	1	.....	.....	.....	.....	.....	.....
Los Angeles, Cal.	319,198	94	7	.....	16	.....	8	.....	1	.....	8	23	12	.....
Milwaukee, Wis.	373,857	89	9	.....	33	1	17	2	1	.....	12	7	7	.....
Newark, N. J.	347,469	82	21	1	.....	1	11	.....	.....	19	9	5	.....	.....
New Orleans, La.	339,075	25	2	.....	24	1	2	.....	1	.....	45	15	21	7
Washington, D. C.	331,069	97	7	.....	55	.....	2	.....	.....	21	11	7	.....	.....
Cities having from 200,000 to 300,000 inhabitants.														
Denver, Colo.	213,381	62	3	.....	4	.....	2	.....	2	.....	.....	10	5	1
Jersey City, N. J.	267,779	71	.....	1	.....	.....	.....	.....	.....	.....	7	.....	.....	.....
Kansas City, Mo.	248,381	86	5	1	4	.....	1	.....	4	.....	.....	8	.....	1
Providence, R. I.	224,326	68	5	.....	1	.....	4	.....	.....	.....	3	8	1	1
Seattle, Wash.	237,194	37	.....	.....	14	.....	5	.....	.....	.....	2	4	3	.....

## MORBIDITY AND MORTALITY—Continued.

*Morbidity and mortality table, cities of the United States, for week ended July 1, 1911—Continued.*

Cities.	Popula- tion, United States census, 1910.	Total deaths from all causes.	Diph- theria.		Measles.		Scarlet fever.		Small- pox.		Tuber- culosis.		Ty- phoid fever.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Cities having from 100,000 to 200,000 inhabitants.														
Bridgeport, Conn.	102,054	28	3		10	1	1				2	1		
Cambridge, Mass.	104,839		16	2	15		2				6	3	1	
Columbus, Ohio.	181,548	47	2		1		3				5	5	4	
Dayton, Ohio.	116,577	24			16		2				1	2	2	
Fall River, Mass.	119,295	38	1		3						4	3	4	
Grand Rapids, Mich.	112,571	25			8		1				1	4	10	1
Lowell, Mass.	106,294	29	2		7							3	1	
Nashville, Tenn.	110,364	50									8	5	32	
Oakland, Cal.	150,174	41	1	1	2		1				1	2		
Omaha, Nebr.	124,096	6										2	1	
Richmond, Va.	127,628	57			8	1	3		3		3	4	9	
Toledo, Ohio.	168,497	63	2		1		2					12	1	
Worcester, Mass.	145,986	49	9		18		13	1			6	5		
Cities having from 50,000 to 100,000 inhabitants.														
Altoona, Pa.	52,127	8					1					2		
Bayonne, N. J.	55,545	12	2		10	1								
Brocton, Mass.	56,878	9			5		2				2			
Camden, N. J.	94,538		3				1						2	
Covington, Ky.	53,270	17										5	2	
Duluth, Minn.	78,466	20	11	3	8		2				2	3	1	
Elizabeth, N. J.	73,409	16	5	1			7							
Erie, Pa.	66,525	22	2	1	1		1					1	1	
Evansville, Ind.	69,647	21			4						6	1		
Fort Wayne, Ind.	63,933	18	67	1	4		1				2	2		
Harrisburg, Pa.	64,186	20	6	1	4		2				16	2	1	
Hoboken, N. J.	70,324	3					2				1			
Houston, Tex.	78,800	25										1		
Jacksonville, Fla.	57,699	28							6			7	13	
Johnstown, Pa.	55,482	14			14						3	1		
Kansas City, Kans.	82,331	41	1				2						2	
Lawrence, Mass.	85,892	28	2		10						2	5	1	
Lynn, Mass.	89,336	18	3	1	2		1				2	3	1	
Manchester, N. H.	70,063	20			4		1		1		2	2		
Mobile, Ala.	51,521	15	2						6		1	2	11	
New Bedford, Mass.	96,652			1	6		1				5	7	6	
Passaic, N. J.	54,773	20	1		5	2	2				2	1	1	
Portland, Me.	58,571	23	3				1					2	2	
Reading, Pa.	96,071	28	2		2		5		1			3	1	
San Antonio, Tex.	96,614	30										6	5	
Schenectady, N. Y.	72,826	20	1				3				3	2		
South Bend, Ind.	53,684	21	2		2		1				1	1	3	
Springfield, Ill.	51,678	15			1									
Springfield, Mass.	88,926	22	1		11		1				5	1	2	
Terre Haute, Ind.	58,157	13			1		4							
Trenton, N. J.	96,815	27	5	1			9				4	1	1	
Utica, N. Y.	74,419	27	1	1	6		1				2	5	1	
Wichita, Kans.	52,450	15			1							1		
Wilkes-Barre, Pa.	67,105	21	5		18						6		1	
Wilmington, Del.	87,411	17						1						
Yonkers, N. Y.	79,803	24	5	1	17		14				11	1		
Cities having from 25,000 to 50,000 inhabitants.														
Aurora, Ill.	29,807	1	2	1			1							
Berkeley, Cal.	40,434	10	1		2							1	2	
Binghamton, N. Y.	48,443	21			1									
Brookline, Mass.	27,792	8			13						1			
Chattanooga, Tenn.	44,604						2						4	
Chelsea, Mass.	32,452	11			14						3	3		
Chicopee, Mass.	25,401	6			4									
Danville, Ill.	27,871	7							2		1	1		
East Orange, N. J.	34,371	7					1				4	1		



## MORBIDITY AND MORTALITY—Continued.

*Morbidity and mortality table, cities of the United States, for week ended July 1, 1911—Continued.*

Cities.	Popula- tion, United States census, 1910.	Total deaths from all causes.	Diph- theria.		Measles.		Scarlet fever.		Small- pox.		Tuber- culosis.		Ty- phoid fever.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
<i>Cities having less than 25,000 inhabitants—Con.</i>														
Moline, Ill.	24,199	7	1		1							2		
Montclair, N. J.	21,150	6												
Morristown, N. J.	12,507	2			1		1							
Nanticoke, Pa.	18,877	3	1											
Newburyport, Mass.	19,949	5										1		
North Adams, Mass.	22,019	7												
Northampton, Mass.	19,431	5	3				2				1			
Palmer, Mass.		1												
Palo Alto, Cal.	4,486	0			1									
Peekskill, N. Y.		6	1		10						1	1		
Plainfield, N. J.	20,550	5					2				2			
Portsmouth, N. H.	11,209		2											
Pottstown, Pa.		5					2				1	1		
Sandusky, Ohio.		6												
Saratoga Springs, N. Y.		4			3						4	2		
South Bethlehem, Pa.	19,973	1	2								4		1	
Steelton, Pa.	14,246	4	3	2			1				2			
Warren, Ohio.		0	1											
Wilkinsburg, Pa.	11,080	2									1			
Woburn, Mass.	15,308	4									1			

**STATISTICAL REPORTS OF MORBIDITY AND MORTALITY, STATES AND CITIES OF THE UNITED STATES (untabulated).**

**FLORIDA.**—Week ended July 8, 1911. Reports from the State board of health show diphtheria present in one locality (Tampa) with 1 case, malaria in 7 localities with 30 cases, smallpox in 7 counties with 51 cases, tuberculosis in 9 localities with 19 cases, typhoid fever in 10 localities with 33 cases.

**ILLINOIS—Alton.**—Two months ended June 30, 1911. Population, 20,446. Total number of deaths from all causes 37; tuberculosis 1. Cases reported: Diphtheria 3.

**MARYLAND.**—Month of April, 1911. Population, 1,295,346. Total number of deaths from all causes 832, including diphtheria 8, measles 21, scarlet fever 1, tuberculosis 106, typhoid fever 11. Cases reported: Diphtheria 38, measles 275, scarlet fever 59, smallpox 5, typhoid fever 39. The typhoid fever cases were distributed as follows: Potomac River watershed 14, Patapsco River watershed 3, Patuxent River watershed 1, Susquehanna River watershed 1, Baltimore city water system 5 cases.

**MASSACHUSETTS.**—Week ended February 4, 1911. Population of reporting towns, 2,581,344. Total number of deaths from all causes 831, including diphtheria 8, measles 5, scarlet fever 10, tuberculosis 74.

Week ended February 11, 1911. Total number of deaths from all causes 900, including diphtheria 12, measles 3, scarlet fever 4, tuberculosis 85, typhoid fever 2.